


EDEN 25CM Pendant

MLP266ANTBRS Antique Brass



MATERIAL	Brass Glass
HEIGHT	26cm 10.24"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL132
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA007 3 Core Twist Brown Braid PVC

Fixing Bracket MLROSE05GRIP | Antique Brass

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

EDEN 25CM Pendant

MLP266ANTSLV Antique Silver



MATERIAL	Brass Glass
HEIGHT	26cm 10.24"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL132
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket MLROSE05GRIP | Antique Silver

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

EDEN 25CM Pendant

MLP266POLBRS Polished Brass



MATERIAL	Brass Glass
HEIGHT	26cm 10.24"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL132
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC


Fixing Bracket MLROSE05GRIP | Polished Brass

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

EDEN 25CM Pendant

MLP266POLCHR Polished Chrome



MATERIAL	Brass Glass
HEIGHT	26cm 10.24"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL132
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket MLROSE05GRIP | Polished Chrome



Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



EDEN 25CM Pendant

MLP266POLCOP Polished Copper




MATERIAL	Brass Copper Glass	Fixing Bracket	MLROSE05GRIP Copper
HEIGHT	26cm 10.24"		
WIDTH DIAMETER	25cm 9.84"		
LENGTH PROJECTION	n/a		
WEIGHT	1.3KG 2.87lbs		
LAMPHOLDER	E27 x 1		
MAX WATTAGE	40W x 1		
VOLTAGE	220/240v		
IP RATING	20		
CLASS PROTECTION	I		
SHADE	GL132		
FLEX BAR CHAIN LENGT	100cm 40"		
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC		

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

EDEN 25CM Pendant

MLP266SATBRS Satin Brass



MATERIAL	Brass Glass
HEIGHT	26cm 10.24"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL132
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC


Fixing Bracket MLROSE05GRIP | Satin Brass

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

EDEN 25CM Pendant

MLP266SATCHR Satin Chrome



MATERIAL	Brass Glass
HEIGHT	26cm 10.24"
WIDTH DIAMETER	25cm 9.84"
LENGTH PROJECTION	n/a
WEIGHT	1.3KG 2.87lbs
LAMPHOLDER	E27 x 1
MAX WATTAGE	40W x 1
VOLTAGE	220/240v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL132
FLEX BAR CHAIN LENGT	100cm 40"
CABLE TYPE	MLCA020 3 Core Twist Black Braid PVC

Fixing Bracket MLROSE05GRIP | Satin Chrome

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.