


VIRGINIA 30CM Pendant

MLP435ANTBRS Antique Brass



| | |
|--------------------------|--|
| MATERIAL | Brass Glass |
| HEIGHT | 35cm 13.78" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 1.56KG 3.44lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 60W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | GL136 |
| FLEX BAR CHAIN LENGT | 100cm 40" |
| CABLE TYPE | MLCA002 2 Core Twist Brown Braid PVC |


Fixing Bracket MLROSE05GRIP | Antique Brass

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

VIRGINIA 30CM Pendant

MLP435ANTSLV Antique Silver



| | |
|--------------------------|--|
| MATERIAL | Brass Glass |
| HEIGHT | 35cm 13.78" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 1.56KG 3.44lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 60W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | GL136 |
| FLEX BAR CHAIN LENGT | 100cm 40" |
| CABLE TYPE | MLCA001 2 Core Twist Black Braid PVC |


Fixing Bracket MLROSE05GRIP | Antique Silver

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

VIRGINIA 30CM Pendant

MLP435POLBRS Polished Brass



| | |
|--------------------------|--|
| MATERIAL | Brass Glass |
| HEIGHT | 35cm 13.78" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 1.56KG 3.44lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 60W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | GL136 |
| FLEX BAR CHAIN LENGT | 100cm 40" |
| CABLE TYPE | MLCA001 2 Core Twist Black Braid PVC |

Fixing Bracket MLROSE05GRIP | Polished Brass


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



VIRGINIA 30CM Pendant

MLP435POLCHR Polished Chrome



| | |
|--------------------------|--|
| MATERIAL | Brass Glass |
| HEIGHT | 35cm 13.78" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 1.56KG 3.44lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 60W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | GL136 |
| FLEX BAR CHAIN LENGT | 100cm 40" |
| CABLE TYPE | MLCA001 2 Core Twist Black Braid PVC |

Fixing Bracket MLROSE05GRIP | Polished Chrome



www.mullanlighting.com


Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.



VIRGINIA 30CM Pendant

MLP435SATBRS Satin Brass



| | |
|--------------------------|--|
| MATERIAL | Brass Glass |
| HEIGHT | 35cm 13.78" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 1.56KG 3.44lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 60W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | GL136 |
| FLEX BAR CHAIN LENGT | 100cm 40" |
| CABLE TYPE | MLCA001 2 Core Twist Black Braid PVC |


Fixing Bracket MLROSE05GRIP | Satin Brass

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7) Dimensions do not include lamps. 8) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.

VIRGINIA 30CM Pendant

MLP435SATCHR Satin Chrome



| | |
|--------------------------|--|
| MATERIAL | Brass Glass |
| HEIGHT | 35cm 13.78" |
| WIDTH DIAMETER | 30cm 11.81" |
| LENGTH PROJECTION | n/a |
| WEIGHT | 1.56KG 3.44lbs |
| LAMPHOLDER | E27 x 1 |
| MAX WATTAGE | 60W x 1 |
| VOLTAGE | 220/240v |
| IP RATING | 20 |
| CLASS PROTECTION | I |
| SHADE | GL136 |
| FLEX BAR CHAIN LENGT | 100cm 40" |
| CABLE TYPE | MLCA001 2 Core Twist Black Braid PVC |

Fixing Bracket MLROSE05GRIP | Satin Chrome

Product Notes:

1) Lamps not included with light fixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: <http://www.mullanlighting.com/terms> for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.) Products wired to UL standards will operate at 110/120v with the appropriate lampholders.