


MLWL227ANTBRS **Antique Brass**





MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	21.5cm 8.46"
LENGTH PROJECTION	31cm 12.2"
WEIGHT	1KG 2.2lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL096
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Antique Brass *For UL wired lights, fixing bracket may differ 8cm







Product Notes:

1) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.)

Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.






Antique Silver MLWL227ANTSLV





MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	21.5cm 8.46"
LENGTH PROJECTION	31cm 12.2"
WEIGHT	1KG 2.2lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL096
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Antique Silver *For UL wired lights, fixing bracket may differ 8cm














MLWL227POLBRS **Polished Brass**





MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	21.5cm 8.46"
LENGTH PROJECTION	31cm 12.2"
WEIGHT	1KG 2.2lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	1
SHADE	GL096
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Polished Brass *For UL wired lights, fixing bracket may differ 8cm













MLWL227SATBRS Satin Brass





MATERIAL	Brass Glass
HEIGHT	28cm 11.02"
WIDTH DIAMETER	21.5cm 8.46"
LENGTH PROJECTION	31cm 12.2"
WEIGHT	1KG 2.2lbs
LAMPHOLDER	E27 or E26
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v
IP RATING	20
CLASS PROTECTION	I
SHADE	GL096
FLEX BAR CHAIN LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB03 | Satin Brass *For UL wired lights, fixing bracket may differ 8cm 4cm



Product Notes:

1) Lamps not included with lightfixture. 2) All products are individually hand crafted, therefore may differ slightly within manufacturing tolerances. 3) Please refer to: http://www.mullanlighting.com/terms for full list of Terms & Conditions. 4) Cable/Chain can be shortened during installation. 5) Longer Cable/Chain available on request. 6) Additional colour finishes available on request. 7.) Dimensions do not include lamps. 8.)

Products wired to UL standards will operate at 110/120vwith the appropriate lampholders.

