


# MADISON Wall Light

MLWL418ANTBRSCl Antique Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Antique Brass  
 \* Fixing bracket may differ for UL wired products.




**Product Notes:**

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418ANTBRSFR Antique Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Antique Brass  
 \* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418ANTBRSSM Antique Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB15 | Antique Brass  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# MADISON Wall Light

MLWL418ANTSLVCL    Antique Silver



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


Fixing Bracket    MLWB15 | Antique Silver  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# MADISON Wall Light

MLWL418ANTSLVFR    Antique Silver




MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket    MLWB15 | Antique Silver  
 \* Fixing bracket may differ for UL wired products.

# MADISON Wall Light

MLWL418ANTSLVSM    Antique Silver



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket    MLWB15 | Antique Silver  
 \* Fixing bracket may differ for UL wired products.




**Product Notes:**

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418PCMBKCL Matt Black



MATERIAL	Brass   Aluminium   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Matt Black  
 \* Fixing bracket may differ for UL wired products.



Product Notes:


1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.





# MADISON Wall Light

MLWL418PCMBKFR Matt Black



MATERIAL	Brass   Aluminium   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Matt Black  
\* Fixing bracket may differ for UL wired products.


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418PCMBKSM Matt Black



MATERIAL	Brass   Glass   Aluminium
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Matt Black  
 \* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418PCWTECL White



MATERIAL	Brass   Aluminium   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | White


\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# MADISON Wall Light

MLWL418PCWTEFR White



MATERIAL	Brass   Aluminium   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | White  
 \* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418PCWTESM White



MATERIAL	Brass   Glass   Aluminium
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | White  
 \* Fixing bracket may differ for UL wired products.




**Product Notes:**

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418POLBRSC L Polished Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-


Fixing Bracket MLWB15 | Polished Brass  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# MADISON Wall Light

MLWL418POLBRSFR Polished Brass




MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Polished Brass  
 \* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Polished Brass  
 \* Fixing bracket may differ for UL wired products.


Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418SATBRSC L Satin Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL179
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Satin Brass


\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.

# MADISON Wall Light

MLWL418SATBRSFR Satin Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL180
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Satin Brass  
 \* Fixing bracket may differ for UL wired products.




Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.



# MADISON Wall Light

MLWL418SATBRSSM Satin Brass



MATERIAL	Brass   Glass
HEIGHT	23cm   9.06"
WIDTH   DIAMETER	17cm   6.69"
LENGTH   PROJECTION	25cm   9.84"
WEIGHT	1.1KG   2.43lbs
LAMP HOLDER	E27 or E26 *
MAX WATTAGE	40W x 1
VOLTAGE	220/240v or 110/120v *
IP RATING	20
CLASS PROTECTION	I
SHADE CODE	GL183
CABLE   CHAIN   BAR LENGT	n/a
CABLE TYPE	-

Fixing Bracket MLWB15 | Satin Brass

\* Fixing bracket may differ for UL wired products.

Product Notes:

1) Bulbs not included. 2) Dimensions do not include bulbs. 3) All products are individually made-to-order and therefore may differ slightly within manufacturing tolerances. 4) Cable / chain can be shortened during installation. Longer cable / chain lengths available on request. 5) Additional colour finishes may be available on request. 6) UL wired products operate at 110/120v with the appropriate lamp holder. 7) Twisted cable is not available for UL wired products. Round cable in black or brown only is supplied instead. 8) Refer to our website for a full list of terms and conditions.